





| Spermatogenie Con Interstitial Cell | (| 2) | Seminiferous |
|--|-------------------------------------|---|---|
| | | e diam. | epith. height |
| 1 | 19 | 62.7 | |
| 2 | 19 | 6217 | |
| 3 | 21 | 69.3 | · |
| 4 | 17 | 56.1 | |
| 5 | 23 | 75.9 | |
| 6 | 18 | 59.4 | |
| 7 | 22 | 72.6 | · |
| 8 | 20 | | , |
| 9 | 20 | 66.0 | |
| .0 | 20 | 66.0 | |
| T | | 56,7 | |
| x | 6 | 5.7 | |
| Sertoli Cells: | seev | y. | |
| Remarks: | | | |
| | | | |
| | and the second second second second | an natus pipus na nadipu na na Endigaputhiyan an naibip dan dal dana maliputa dibil | aggini in regionalità in della Committationi in dei regioni in producti in discribi di discribi di di |

| ermatogenīd Co | | |
|-----------------------------------|--------------|------------------------------|
| nterstitisl Cel naclese, diem. | . Main signi | Seminiferous epith. heigh |
| | 1.82 | |
| | 10/00 1 | |
| | E-19 15 | 1 |
| | 125 6 | |
| | 23 35.7 | |
| | | |
| | 3 25 66 | |
| | 5.33 35 | |
| | | |
| (| 3.5 | |
| | (98) | |
| | 63,3 | |
| safieo ilotrai | | |
| enarks: | | |

| No. 14-5. | Date | 10,659 |
|--|--|----------------------------|
| Spermatogenia Cone | nita on a sitin | 6 |
| Interstitial Cell | Seminiferous tubule diam. | Seminiferous epith. height |
| 1 3 6.3 2 3 6.3 3 3 6.3 4 5 6 7 8 | 52 - 171.6 53 174.9 51 168.3 53 174.9 53 191.4 47 155.1 47 155.1 47 174.9 53 174.9 | |
| 10 | | 14.1 |
| T | 1709.4 | 422.4 |
| x 6.3 | 170.9 | 42.2 |
| Sertoli Cells:Remarks: | seen | 200 |

| | 4/1/2 | stad | | Fac | |
|----------------------|-------------|-----------|----------------|-----------------------|--|
| | N 8 | _ A 14.5% | Se Ditto | not strage | Januage Bernat |
| iferous h. height | | | | itial Cell A Alama | |
| | 6 | | | | |
| | | | | | |
| | | | | | 2 |
| | | | | | 3 |
| | 15 | | 17.3 | | 4 |
| | | | | | 5 |
| | | | 47 | | 9 |
| | -53 | | Chi | | 7 |
| | W | P. Fel | 5.5 | | 8 |
| | ‡ | | | | 6 |
| | | | | | 10 |
| | | 1-20 | | | 4 |
| 5,54 | | - Fis | 128 | | ************************************** |
| | | | 14 - T- 160515 | . Cells: | Sertoli |
| | <u>, 19</u> | 1.25 | wal | - | R enerks |
| | | | | | |
| | | | | | |

| | rstitial Cell lear diam. | | ferous e diam. 46.2 46.2 39.6 49.5 39.6 49.5 39.6 49.5 39.6 49.5 39.6 | Seminiferous epith. height |
|-----------|-----------------------------|---|---|----------------------------|
| T | 7 | 4 | 521 | |
| \bar{x} | | 4 | 5,2 | |
| | oli Cells: | | | |



| No. 14-8. | | Date | V1/29 |
|------------------------------------|---|--|---|
| Spermatogenic Con | dition | griti.n_ | 0 |
| Interstitial Cell nuclear diam. | tubul | e diam. | Seminiferous epith. height |
| 1 | 16 - | 52.8 | |
| 2 | 13 | 42.9 | |
| 3 | 16 | 52.8 | |
| 4 | 13 | 42.9 | |
| 5 | 12- | 39.6 | |
| 6 | 13 | 42.9 | |
| 7 | 13 | 12.9 | |
| 8 | 14 | 46.2 | |
| 9 | 14 | 46.2 | |
| 10 | 14 | 46.2 | |
| T | 4 | 45,5 | |
| x | | 45,5 | |
| Sertoli Cells: | seen | | |
| Remarks: | | | |
| | en elemen elementalismentelle el errego el tre que trataga. | | isabur , manusah r galai dimusishinuuri qorralqii qorranda iliyota shakada dibad qilibili ma'sishining ta'shining |
| | | engleryangsvakkingsk erstenalleritera-trien- generalleri- samidation terrall | |
| | | denne stabilitare rikalamente in mer i sens sulp s u signi s u unigipanjas | |
| | | | |

| | | | . / | |
|--|----------|--|---|---|
| No. 14-9 | | Date | 76/5 | 7 |
| Spermatogenic Con | dition | reiti n | | |
| Interstitial Cell | | | | ferous |
| nuclear diam. | · ' dans | • 🖦 | epitn | . height |
| 1.3 6.3 | | 135.3 | 6. | 19.8 |
| 23 6.3 | 29 | 95.7 | 7 | 23.1 |
| | 37 | 1.551 | 12 | 39.6 |
| 3 | 36 | 118.8 | 10 | .73.0 |
| 4 | 38 | 125,4 | 10 | 330 |
| 5 | 43 | 141.9 | 11 | 36.3 |
| 6 | 10 | | | 49.5 |
| 7 | 49 | 16/17 | 15 | (L was |
| 8 | 37 | 1221 | | 39.6 |
| 9 | 36 | 118,8 | 10 | 33.0 |
| 10 | 29 | 95.7 | 9 | 29.7 |
| T | 12 | 37.5 | 3 | 36.4 |
| x 6.3 | 12 | 3.8 | | 33.7 |
| Sertoli Cells: | isen. | | | |
| | | т обфесферниција дом ен дру орган домен до брашно отборојот от често стого от | ang digital di samang digital | |
| Remarks: | | | derross gråde rdisse en endelje, triderforderssse in de en | |
| | | varus giber v. a. skipp. v. r. a. regigida diamena a cerpi gidas sali plata sali plata sali plata sali plata s | lipidikura v espenyanyikon ekspik dibeharasiyishiya verisp | न नार्वाक्षक भोज र स्व र्णकेष्ठावार नियमें नार्वेण को स्वर्णकों ने क्रिकेट के भी में नार्वेण में किसके |
| santa-tanan da an iga-asaga-ta Maradapata milipitika apa a sa | | ng pagamananan ng mga mga mga mga mga mga mga mga mga mg | | nnen yannoondyssä siensainen olemi suinnenäävisidäisenvääjylönen |
| | | | | |
| | | Many salah Rombo dan sahagan dahari irin salah ratu dan sahagan dan gari | entre no van La a arus - entren año de la comp ensión | i mahrilijinin musuka galin, milijinin liigir gindiqualah liigirin sarr — qilij sab, hadi |
| | | | | |

. Tells SP

| No. 14-10 | | T | v.els | -9 |
|--|--|--|--|--|
| Spermategenic Con | કાર્યાના વર્ષ | | Miles. | n salah sala |
| Interstitial Cell | (7)) | | | ferous |
| nuclear diam. | | | | height |
| 13 63 | 59 | | 6- | 19.8 |
| 2-3 6.3 | 38 | 125.4 | 6 | 19.8 |
| | 56 | 184.8 | 10 | 330 |
| 3 | 45 | 148.5 | 9 | 29.7 |
| 4 | | 92.4 | 6 | 19.8 |
| 5 | 28 | | | 36.3 |
| 6 | 33 | * | 11 | , |
| 7 | 35 | 115,5 | 8 | 26.4 |
| 0 | 36 | 118.8 | 8 | 26-1 |
| 8 | 40 | 132.0 | 5 | 16.5 |
| 9 | | 11575 | *** | 23 / |
| 10 | :)) | 7 . | / | 20.1 |
| T | 12 | 70,5 | 2 | 50.8 |
| x 6.3 | 12 | 7.0 | é | 75.1 |
| Sertoli Cells: | | | and the second s | aganggangganggang ang panggangganggangganggangganggangganggang |
| | | Palaurus puusa da uka muur mikkapu or dikidisen nii muurus ee | apinikan kenanta sambat sahihinikan distributu berasaran d | garanangan kanan sanggarapah arrangan galambi dar sa un |
| Remarks: | | inin kanan mangana menangan kenangan penangan kanangan penangan penangan penangan penangan penangan penangan p | | |
| Military (M. M. Control de Contro | о-должн-очетняция от да городина на на надражна на подражна на подражна на подражна на на надражна на н | | realignes on a description for a special angle of the second section of the s | ar entire est est est est est est est est est es |
| | relikir-til-tillikir-tilgir-qiliqir-ti-kira-kira-kira-ti- e- e- eqili | | | |
| | dagen i principal distribus quando est segue senda como est d'Alban españa que e | ndjarfornið liðssálískoskildinar við maðjarna upp - viðsgálunja | d - v - v - v - v - a - and - delete in the gape to | mentakan oda-savardinasia ibawapatan ere - was-un-un |
| | | | | |

and with the Care Care State of the Ĭ. - 1 CHILL) 1, 11641 0.1 : Series Caller


Leading Table

| | | | | 1 -0 |
|-------------------|---|--|---|--|
| No. 14-11. | | Date | Jul | 5-9 |
| Spermatogenie Con | dition | nciti n_ | Ca | |
| Interstitial Cell | t . | | | iferous h. height |
| 13 63 | -40 | 132.6 | 10 | 33.0 |
| 23 6.3 | 37 | 122.1 | Co | 19.8 |
| 3 | 32 | 105.6 | 5 | 16.5 |
| 4 | 48 | 158.4 | 7 | 23:1 |
| 5 | 40 | 132.0 | 12 | 39.6 |
| 6 | 40 | 132.0 | 9 | 29.7 |
| 7 | 38 | 125,4 | 5- | 16.5 |
| 8 | 37 | 122.1 | 11 | 36.3 |
| 9 | | 148.5 | 10 | 33,0 |
| 10 | 38 | 125.4 | 8 | 26.4 |
| T | 13 | 5543 | 2 | 73.9 |
| x 6.3 | 15 | -5,4 | ٥ | 27.4 |
| Sertoli Cells:_x | Ve- | | | |
| | | | | en de manifestat de la companio del la companio de la companio del la companio de la companio del la companio de la companio de la companio de la companio de la companio d |
| Remarks: | | anggangananan ang a sanggan a sa a a a ana sang as a ang an ang ang ang | | Andrew Allen and Andrew |
| | कार-कारको । स्वापनं पार्श्ववीकारको ते के काञ्चक, सरक्त, स्वाप्त | ndidan ama are e ar dem me na magamenta a a magamenta an magamenta an araban a magamenta a | Carpen a seminario de Carpe de Artes de Carpenson | |
| | | en ei megling leger unsgelich von ermlier einige er ein gerondient einem legen er eit | | |
| | Programma in the grant of the second or the | | | |
| E= 46.20 | | | | (3) |


the traiting figure. - Profitered (1700 Tollings thi er i sami 12 14.3 i, I OV THE GLASS 1 0.00 : . OIL . ar Ilot Morney

The second of the second of the second of .

| | | į. | |
|--|---|----|----|
| | : | | |
| | | | |
| | | | • |
| | | | *. |
| | | | |
| | | | S. |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | • |
| | | | |
| | | | |
| | | | • |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



| No. 14-21 | | Dat э | 10/60 |) |
|--|-------|---|--|--|
| Spermatogenic Condi | tion | 9 | | |
| Interstitial Cell nuclear diam. | tubul | ferous Le diam. | 1 | iferous n. height |
| 13 63 | 72 | 237.6 | 15 | - 49.5 |
| 23 6.3 | 66 | 217.8 | 14 | 46.2 |
| 3 4 8.4 | 70 | 231.0 | 20 | 46.0 |
| 4 | 43 | 207,9 | 13 | 92.9 |
| 5 | 66 | 217.8 | 16 | 52.8 |
| 6 | 4 | 21112 | 13 | 42.9 |
| | 59 | 194.7 | 10 | 33.0 |
| 7 | | 204.6 | 13 | 429 |
| 8 | 62 | | | 660 |
| 9 | 66 | 217.8 | 20 | |
| 10 | 49 | 161.7 | 16 | 52.8 |
| T 21.0 | 21 | 02.1 | ~ | 195.0 |
| x 7.0 | 2 | 10.2 | | 49.5 |
| Sertoli Cells: | een | | | religion algrega gardings plant a state of the state of t |
| Remarks: | | | | |
| | | | | |
| And the state of t | | | galgalatinar dibinina siyamu ngiyasi ilindiga silating attalan ilindina manadi | ang dinaganan ang mang mang mang mang mang man |
| | | benissen - ili sa ariidhii alim e — iligaybhlipphaghai ai ili | | manuser on anti-resultation of the second of |
| | | | | nggan man trong dan natural dan |
| | | | | |



| • | | a |
|---|--|---|
| | | |
| | | |

E= 39,6 M





| Spermatogenic Condi | tion_ | lo | | |
|---------------------------------|---|--------|--|---|
| Interstitial Cell nuclear diam. | Seminiferous tubule diam. | | Seminiferous epith. height | |
| 13 63 | 55 | • | 15 | . 49.5 |
| 23 63 | 67 | 2.21.1 | 17 | 54.1 |
| 3 | 63 | 207.9 | 2/ | 69.3 |
| 4 | 60 | 198,0 | 10 | 33.0 |
| 5 | 59 | 194,7 | 17 | 56.1 |
| 6 | 62 | 204.6 | 16 | 52.8 |
| 7 | 48 | 158.4 | 10 | 33.0 |
| 8 | 63 | 207.9 | 11 | 36.3 |
| 9 | 57 | 1683 | 9 | 29.7 |
| 10 | 60 | 198.0 | 13 | 42.9 |
| T | 1940.4 | | 458.4 | |
| x 6.3 | 194.0 | | 45.8 | |
| Sertoli Cells: | seer | | | |
| Remarks: | | | | |
| | | | | odan ayandan aka meyan anti deka renda A |
| | | | | |
| | | | | • |
| | ndrodennum er v und aggette viele dag gifte, op u | | vagnyddauliddiag o'i e ei'r e - madrol | |

intercritic Coll 1 Section 2 Section


000

e e

Sertoli Seller

01

| Spermatogenic Condi | tion_ | 6 | ş | |
|--|--|---------------------|--|---|
| Interstitial Cell nuclear diam. | tubu | iferous le diam. | | erous height |
| 1 4 8 4 | 68 | 201.3 | 10 | 46.2 |
| 2 3 6.3 | 54 | 178.2 | | 59.4 |
| 3 4 8 7 | 60 | 198.0 | 10 | 33.0 |
| 5 | 6.3 | 207.9 | 19 | 62.7 |
| 6 | 5-7 | 188.1 | 10 | 33.0 |
| 7 | 61 | 201.3 | 17 | 56.1 |
| 8 | 72 | 237.6 | | 49.5 |
| 9 | 56 | 184.8 | | 49.5 |
| 10 | 63 | 207.9 | 12 | 31, |
| T 23.1 | 2 | 029.5 | <16 | 2.0 |
| x 7.7 | 2 | 03.0 | 4 | 6.2 |
| Sertoli Cells: | ver | | nst Andreas eighth fra ellenn sjilleller manbelle a klibere b | March Mills (1970) (Mrs American - American (Mrs Am |
| Remarks: | | | gangustanogada (day and qui more day 114 state (day) | Agrangilistis |
| | | | | |
| | | | | |
| | | | eter var vir in militare ette proteste ette ette ette ette ette ette ett | er territoria de desta de la composição de |
| чен офтосор формација неоргоски корочностичностичност и и чено в соорганизационалну достораналност | villerilliterande viere — evalvingstamen ville desselfelburgs un | | editorial and the second secon | Miller (M. 1964) - The Addition of the states of the Addition of the State of the Addition of |



| Spermatogenic Condi | tion | 6 | (| |
|---------------------------------|--|--------------------|--|--|
| Interstitial Cell nuclear diam. | | Perous Le diam. | | iferous 1. height |
| 1 3 6.3 | 62 | 204.6 | 17 - | 56. |
| 23 6-3 | 54 | 178.2 | 15 | 49.5 |
| 33 6.3 | 50 | 165.0 | 9 | 2917 |
| | 48 | 158.4 | 15 | 49.5 |
| 4 | 46 | 151.8 | 14 | 46.2 |
| 5 | 49 | 161.7 | | 33.0 |
| 6 | 77 | 254.1 | | 6217 |
| 7 | | | | |
| 8 | 72 | 237,6 | | 59. Y |
| 9 | 62 | 204.6 | 11 | 36.3 |
| 10 | 62 | 204.4 | 16 | 52.8 |
| T | 1 | 920.6 | 4 | 75.2 |
| x 6.3 | 10 | 32. | ~ | 75.2 |
| Sertoli Cells: | eev | | | |
| Remarks: | de de la companya del companya de la companya del companya de la c | | and the second s | |
| | | | | |
| | | | | |
| | and the second s | | | The second secon |
| | egintentrasion , administrativas atripatitus uspa | | indialettettergephosp magazine at energies d | and distance of the second of |





| No. 14-27 | | 14/60 |
|---|--|---|
| Spermatogenic Con | | |
| Interstitial Cell nuclear diam. | tubule diam. | Seminiferous epith. height |
| 13 63 | 46-151.8 | 15 49.5 |
| 23 6.3 | 42 138.6 | 13 42.9 |
| 34 8.4 | 47 155.1 | 15 49.5 |
| 4 | 44 145,2 | 15 49.5 |
| 5 | 52 171.6 | 14 46.2 |
| 6 | 50 165,0 | 6 19.8 |
| | 60 198.0 | 13 12.9 |
| 7 | 5-6 184.8 | 14 52.8 |
| 8 | | 10 33.0 |
| 9 | 52e 184.8 48 158,4 | 13 42.9 |
| 10 | 48 138,7 | 13 14.1 |
| T 21.0 | 1653.3 | 429.0 |
| x 7.0 | 165.3 | 42.9 |
| Sertoli Cells: | Jeen | |
| Remarks: | | |
| | | |
| etterforministe die ekservasie begreit von Minner verbreit die Minister kontrassen der von verbreit von verbreit. | örröffar vitirmillikkilikki vasa – si, yvrystörrinu sur ra villana kunspirmuusirringsassi eristirmislissassi | laulausus rusassadus elakki danasuskila asun sen unlapuski rundinggarhasurih parahimistik dan sebinpurih se |
| | i di dina manggan manggan manggan na manggan ng manggan ng manggan ng manggan na manggan na manggan na dina ga | |
| | e destruction extra extra construction de sign - destructur sommer and accompany to a servicing community or a | ran ar in in a ar an anghrindagan anghrindagan na bhaile agus an |
| | | |

I will day to the sale. - m. - (i-111

| No. 14-28 | | Tata | 14/10 | 0 | |
|--|---|--|--|--|--|
| No. 14-78 Date 100 Spermatogenic Condition | | | | | |
| Interstitial Cell | | | G:: 4 | | |
| | tubule | 1 | Seminif epith. | erous height | |
| -galley of the transition of | 60 | 198.0 | 17- | 56.1 | |
| 2 3 6-3 | | 181,5 | 10 | 33.0 | |
| 33 4.3 | 52 1 | 84.8 | (2- | 39.6 | |
| 4 | y | | 19 | 62.7 | |
| 5 | 57 1 | 88.1 | // | 36.3 | |
| 6 | 62 3 | 204.6 | 14 | 46.2 | |
| 7 | 5-4 | 178.2 | 15 | 49,5 | |
| 8 | 66 2 | 17.8 | 15 | 49.5 | |
| 9 | 58 | 91.4 | 12 | 39.6 | |
| 10 | 61 | 2013 | 14 | 46,2 | |
| T 21.0 | | 33 | | 8.7 | |
| x 7.0 | 198 | .3 | 4 | 5.9 | |
| Sertoli Cells: <u>New</u> | | | | | |
| | | | | | |
| Remarks: | | gant at the | - The second sec | | |
| # MANUFACTURE CONTRACTOR CONTRACT | r dörför göröndöjdenidörön vein varn varnagan anvansak egen | | endines y vangunation spirot discharging business end | garage - mai digginga disebendikakan elektrik kelektrik kelektrik kelektrik kelektrik kelektrik kelektrik kele | |
| | | in programation of the state of | | ar et en | |
| | | Madeleonica antico e esco escolar se sopo e assignificados | and the same of th | | |
| 6=52.8M | | | (| 2) | |



| No. 14-29 | | Date | 10/1 | 20 |
|---------------------------------|--|---|--|----------------------|
| Spermatogenie Condition | | | | |
| Interstitial Cell nuclear diam. | | | | iferous h. height |
| 13 6.3 | 75 - | 247.5 | 12- | 39.6 |
| 23 63 | Cel | 201.3 | 16 | 52.8 |
| 3 | 54 | 184.8 | Ke | 52.8 |
| 4 | 66 | 217.8 | 15 | 49.5 |
| · | 56 | 184.8 | 9 | 29,7 |
| 5 | 46 | 151.8 | 10 | 33.0 |
| 6 | 6.5 | 204.6 | 12 | 39.6 |
| 7 | 62 | , | | 343 |
| 8 | 60 | 198.0 | // | |
| 9 | 64 | 211,2 | 17 | 56. |
| 10 | 5-7 | 188. | 17 | 57.1 |
| T | 1 | 984.9 | ۷, | 145,5 |
| x 6-3 | 10 | 19.0 | | 44.6 |
| Sertoli Cells: | | | | |
| Remarks: | | ellanage outgates of a fire settle state whileholds | or volumentalis des el color e | |
| | and the company of the control of th | enter tidarren elektrisa derrikalikakokokokokokokokokokokokokokokokokokok | halpfarr u rivinusiristario didad diprinusittiria | |
| | in alle fra de la companya de la co | | | |
| | | | | |
| | | miner atterbillerin villederbillerin seiner – von under 19 ight z. "Begin under | erkere kan ara una er sambankarkarkarkarkarkarkarkarkarkarkarkarkark | |




| 17 = | | | | | |
|---------------------------------|--|---|--|--|--|
| No. 14-30 | | | 10/6 | | |
| Spermatogenic Condition | | | | | |
| Interstitial Cell nuclear diam. | tubu | iferous le diam. | 1 | ferous height | |
| 13 63 | | 135.3 | 11 | 36.5 | |
| 23 6.3 | 41 | 158.4 | 7 | 23.1 | |
| 3 3 6.3 | 39 | 128.7 | 9 | 29.7 | |
| 4 | 44 | 145,2 | 1 | 49.5 | |
| 5 | | | · · · · · · · · · · · · · · · · · · · | 49.5 | |
| 6 | 52 | 171.6 | 15 | , | |
| 7 | 47 | 155. | 17 | 56./ | |
| 8 | 49 | 16/17 | 9 | 29.7 | |
| 9 | 44 | 145.2 | 10 | 33.0 | |
| 10 | 51 | 168.3 | 14 | 46.2 | |
| T | 15 | 121.3 | 30 | 69.6 | |
| x 6.3 | / | 52.1 | | 7.0 | |
| Sertoli Cells: | Deer | Tradition regisperation that the street regularizate appropriate construction consequences a source | | - Million de la galletina de la della companya e e e | |
| Remarks: | | | | | |
| Itemat Ab | | yddigwyngagangangologiaethyd yddigdd ym reiddigddigollaithio o'r yr ddiwledd | anenaugunan yanda alikur dan enaren denken ter | | |
| | | марау ул тогу а тамар каба катуылун артын аруу байруу көсөн | nglarge tressentere individual estapente destre qualiq | | |
| | pro-glidhigo, salts glidhigon gyr nga spilangian miling silis sh | | | angles and the construction of the property of the construction of | |
| | | | | | |
| E=33,04 | | | (| | |



| Interstitial Cell nuclear diam. | tubu | Le diam. | | ferous n. height |
|---------------------------------|-------|----------|------|---------------------|
| 1 | 66. | 217.8 | 11 - | 34.3 |
| 2 | 61 | 201.3 | 16 | 5 2.8 |
| 3 | 68 | 224.4 | 14 | 46.2 |
| 4 | 71 | 234.3 | 14 | 46.2 |
| 5 | 63 | 207.9 | 10 | 33.0 |
| 6 | 53 | 174.9 | 11 | 36.3 |
| | 48 | 158.4 | 11 | 363 |
| 7 | 45 | 148.5 | 9 | 2017 |
| 8 | 52 | 171.6 | 15 | 49.5 |
| 9 | | 211.2 | 18 | 5-4.4 |
| 10 | 6. 4 | 211.2 | 10 | |
| T | 19 | 50.3 | 4 | 125.7 |
| x | 1 | 95.0 | | 42.6 |
| Sertoli Cells: | Due v | | | |
| | | | | |
| E= 35.0 u | | | (| 3 |

is the strain the land in the second (-= (10 1 " enlist at the

| No. 14-34 Spermategenic Con | Date U60 | | | | |
|-----------------------------|---|--|--|--|--|
| Interstitial Cell | 1 | iferous le diam. | | niferous th. height | |
| 13 63 | 51 | 168.3 | 10 | 33.0 | |
| 23 6.3 | 50 | 165.0 | 14 | 76-2 | |
| 336.3 | 49 | 14512 | 8 | 19.8 | |
| 4 | 52 | 171.6 | 4 | 42.9 | |
| 5 | 60 | 198.0 | 10 | 33.0 | |
| 6 | 5 | 168.3 | 8 | 26.4 | |
| 7 8 | 56 | 184.8 | 12 | 39,6 | |
| 9 | 50 | 165,0 | 13 | 42.9 | |
| 10 | 50 | 16500 | 8 | 26.4 | |
| Т | 1 | 69219 | | 336.6 | |
| x 6.3 | / | 69.3 | | 33.7 | |
| Sertoli Cells: | rlen | | | uut valgenammaan elegenammaan elegenammaan elegenammaan elegenammaan elegenammaan elegenammaan elegenammaan el | |
| Remarks: | e a vermen e - a religió de sensita a ser el sensita. | | | | |
| | a — gladdin, markindighighidaghari Aryake, aran, ayan | | allipuning alabagas palaba gapata dipantan dan | | |
| | | | | | |
| E=3331 | - Parker Parket - Landon - Are - Are - Landon - Are - | k vil Miller (1995) frank siddy hefy in till o'r rear vegler Arap o'r degan gelene | territorium va i um vo austrumbiassiminium valid | (33) | |




| No. 14-35 | 55. 4 | 11/60 |
|--|--|---|
| • | | V/60 |
| Spermatogenic Con | | |
| Interstitial Cell nuclear diam. | | Seminiferous epith. height |
| 13 6.3 | 37-122.1 | |
| 23 6.3 | 44 145,2 | 9 |
| 3 3 6 3 | 32 171.6 30 145.0 | |
| 4 | 50 145.0 | |
| 5 | 52 171.4 | 13 42.9 |
| 6 | 57 168.3 | 9 29,7 |
| 7 | 5-5- 181.5- | 12 39.6 |
| 8 | | |
| 9 | | |
| 10 | | |
| T | 1290.3 | 270.6 |
| x 6.3 | 161.2 | 33.8 |
| Sertoli Cells: | seem | |
| Remarks: foldo | in tossur | der-gebreitung von 1 milde Gebertregensten in der Annex Andreitung betreitung der Annex Andrew (Andrew College) |
| V | | |
| embaning dip dimon bin dadarah Mendipinah rebadis napara manyabaha balambanaha satap an manapa | nathanikan tilanggal applint pilan sa denga applintig denga applintig denga applintig denga applintig denga ap | |
| | 4 | |
| | | |




| 1 | | ÚÍ. |
|-----------------|--|----------------------------|
| No. 14=3.6 | Date | e - 460 |
| Spermatogenic C | condition aciting | 0 |
| | ll Seminiferous tubule diam. | Seminiferous epith. height |
| 1 | • | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| 6 | | |
| 7 | Addition of the contract of th | |
| 8 | | |
| 9 | | |
| 10 | | |
| T | | |
| x | | |
| Sertoli Cells: | | |
| Remarks: pool | tisons | |
| | | |
| | | |
| | | |
| E= 38,3M | | |



| No. 14-3.7 | als and something operations the street of the street | Date | u/ce | 0 | |
|-------------------|---|---|--|--|--|
| SpermatogenIC Con | dition | | 7 | | |
| Interstitial Cell | tubu | le diam. | epit | iferous h. height | |
| 13 63 | .44 | 145.2 | 9 - | 29.7 | |
| 23 6.3 | 34 | 112.2 | 10 | 33.0 | |
| | 44 | 145,2 | 10 | 33.0 | |
| 3 | 46 | 151.8 | 9 | 29.7 | |
| 4 | 44 | 145.2 | | 33.0 | |
| 5 | 77 | | | | |
| 6 | 46 | 15-1.8 | q | 29.7 | |
| 7 | 48 | 158,4 | 10 | 33.0 | |
| 8 | 44 | 145.2 | 8 | 26.1 | |
| 9 | 45 | 148.5 | 10 | 3 3.0 | |
| 10 | 570 | 184.8 | 11 | 36,3 | |
| T | 1 | 488,3 | | 3 16.8 | |
| x 6.3 | 1 | 48.8 | | 3/17 | |
| Sertoli Cells: | | | | | |
| | | | | a versilikasi maasilikisti persima valikasilimisti. Euroma valiktiinipilipilimisti ka van va | |
| Remarks: | | | enturkentigsperitiksporen i enter vendoch enter kenne | er gradisiastikustikastikastikastikastikastikastikastika | |
| | tori danin yisimakkindinki torrago —ta'qord | | THE RESERVE AND STREET | | |
| | | | alled a commence and the commence and the comments are | deren galleren en e | |
| | | militaria manifesi disebahasi kihir mendi meses sebesa sepera | | an protessandes emissiones entre de la companya de la companya apo | |
| E- 19.74 | | | | (3) | |
| | | - | | | |



| No. 14.39 Spermatogenic Con Interstitial Cell nuclear diam. | Seminiferous tubule diam. | Seminiferous epith. height |
|---|---------------------------|----------------------------|
| 23 6.3 33 6.3 | 50 165.0 | 14 46.2 |
| 4 | 57 188.1 | 11 36.3 |
| 5 | 43 141.9 | 10 33.0 |
| 6 7 | 48 158.4 | 12 39.6 |
| 8 | 52 171.6 | 29.7 |
| 9 | 45 148.5 | 70 |
| 10 | 58 191.9 | 12 39.6 |
| T | 1725,9 | 389.4 |
| x 6/3 | 172.4 | 38.9 |
| Sertoli Cells: | even. | |
| Remarks: | | |
| E= 49511 | | (c) |




| Interstitial Ce nuclear diam. | tubule diam | epith. heigh |
|----------------------------------|-------------|--|
| 13 63 | ·54 - 184. | 8 15 - 49.5 |
| 23 6.3 | 53 174.9 | 1 12 39. |
| 33 6.3 | 5.3 174.5 | 9 13 42. |
| | 65 214. | |
| 4 | 58 191. | 4 15 49 |
| 5 | 59. 194. | 7 15- 49 |
| 6 | 53 174. | 9 12 39 |
| 7 | 72 237 | 61,- 49. |
| 8 | Lee - | |
| 9 | 5-3 174. | 1 19 62 |
| 10 | 57 188. | 1 19 62 |
| T | 1910,7 | 472 |
| x 6.3 | 191.1 | 47.2 |
| Sertoli Cells: | Dien | |
| Remarks: | | , yar washigan guyib adayigashin sa rasar sakanadaniya si kalakadininininin sakan balakani |
| | | |
| | | |





~.

YOU I



1 1.2 OI · . -



| No. 1 | 1-50 | | Date | _Vid1 | 160 |
|--|-------------|--|--|--|----------------------|
| | togenI& Con | dition | | 6 | |
| | titial Cell | Semini tubul | | | iferous n. height |
| 1 3 | 6.3 | 63 | 207.9 | 13 | 42 9 |
| 23 | 6.3 | 64 | 211.2 | 10 | 330 |
| 33 | 6.3 | 53 | 174.9 | 14 | 46.2 |
| 4 | | 41 | 1353 | 10 | 33.0 |
| 5 | | 47 | 153.1 | 10 | 33.0 |
| 6 | | 43 | 141.9 | 7 | 23. |
| 7 | | 56 | 184.8 | 9 | 29.7 |
| 8 | | 47 | 1551 | 6 | 19-8 |
| 9 | | 50 | 165.0 | 10 | 33.0 |
| 10 | | 41 | 165.0 | 10 | 370 |
| T | | 16 | 66,5 | | 126.7 |
| x | 6.3 | 16 | 6,6 | | 32.7 |
| Sertol | i Cells: | seen | | | |
| Remark | | | | | |
| | | an dina apongkanakanan masa masa masa sa sa sa sa sa sa sa sa | | | |
| demokratik a me _{st} ere demokratika di de | | an committee and the transmission of the committee of the | grappe and the same and a same an | | |
| Manage out authorists - supply-supply-sup- | | | ina allahangan magainlighin aligar sa san akin maga maga sa salaga kal | MAN No community per son. Additional philippy and happy and beginning to the community of t | |
| E- | 330 | | | | (3) |

stratu ura 1.100 • • ; ; • ; 1 500 27.0 2.17 11611 LEADA Shade B.A.... The second of the second

| Interstitial Cell nuclear diam. | | le diam. | | iferous h. heigh |
|------------------------------------|------|--|---|--|
| 13 6.3 | 64 | 211.2 | 6 - | 19.8 |
| 2 | 52 | 171.6 | 13 | 42.9 |
| 3 | 51 | 168.3 | 8 | 26.4 |
| 4 | 53 | 181.5 | 10 | 33.0 |
| 5 | 52 | 171.6 | 11 | 36.3 |
| 6 | 61 | 201.3 | 13 | 42. |
| 7 | 55 | 181.5 | 10 | 33 |
| 8 | 60 | 198,0 | 12 | 39.6 |
| 9 | 47 | 155.1 | 9 | 29. |
| 10 | 5-4 | 178.2 | 11 | 36. |
| T | 1 | 818,3 | | 339.9 |
| x 63 | / | 81.8 | | 34.0 |
| Sertoli Cells: | gier | | | |
| Remarks: | | | derrotten fallen dien, er volkster zeiten der | gryoten-Madelinipako ini madalinipako haji madalinipako ini madalinipako ini madalinipako ini madalini padalin |
| | | kildir idan dari 1 m indipinik 7 m indipiliki danan markata dari kata dari kata markatan markatan dari kata ma | Sanga - , wakazanskim pisak Gabaranskima | on qua - १९वेद्द्रभक्त - सार्वाद्यवेद्द्रप्रकृतिकारिक व विकास विकास क्रिकार अस्त |

| No. 14-52 | | Date | 10/0 | , / |
|-------------------|--|--|--|--|
| Spermatogenie Con | dition | | 9 G | |
| Interstitial Cell | (7 | erous | | iferous h. height |
| 1 | 65 - | 214.5 | 14 - | 46-2 |
| 2 | 55 | 181.5 | 9 | 29.7 |
| 3 | 72 | 237.6 | 13 | 42.9 |
| 4 | 49 | 161.7 | 10 | 33.0 |
| 5 | 5-4 | 178.2 | 13 | 42.9 |
| 6 | 58 | 1914 | 17 | 56.1 |
| 7 | 5-1 | 168.3 | 14 | 46.2 |
| 8 | 51 | 168.3 | 11 | 363 |
| 9 | 45 | 214.5 | 11 | 363 |
| 10 | 52 | 171.6 | 12 | 39.6 |
| T | 18 | 187.6 | 4 | 109.2 |
| × | 18 | 818 | Ar amandada a regional | 40.9 |
| Sertoli Cells: | nen | , | <u> </u> | |
| Remarks: | | | | articulario in agradica por la compansión de la compansió |
| Remarks: | | Bergelatur materia (n. 1904) eta (n. 1840) eta (n. 1840) | erromatikan erromatika, erromatika erromatika erromatika erromatika erromatika erromatika erromatika erromatik | - was a man a speciment provide maken a - de-structure provide structure a description of |
| | | u Marin ir Addinini nasid alida maan maayaa mirdoos sillaadinid | radigur e remenduskete gallak Aprilandikuske | anna a' a she da sa dagaa da da dagaa da d |
| | | Dispose allegate communication of the state of the control of the state of the control of the state of the st | | |
| | dipercularity and account or a second or a | ne distantivelle distantivelle anno er "en" e esta " e veixo " e estado e e estado e e | | 6 |
| E- 36.34 | Man edimenten a asserten es con | mar gallaga spagagagan ang pandhiggaran - an anta-tarangh albeddeli | distriction of the second state of the second | (3) |



| No. 14-5.5 | | Date | V196 | (|
|-------------------|--------|---|--|----------------------|
| Spermatogenie Con | dition | | 6 | |
| Interstitial Cell | | ferous e diam. | | iferous n. height |
| 13 63 | 65 | 214.5 | 12. | - 39.6 |
| 23 6.3 | 51 | 1483 | 10 | 33.0 |
| 3 | 43 | 141.9 | f1 | 363 |
| 4 | 58 | 191.4 | 11 | 363 |
| 5 | 53 | 174.9 | 18 | 59.4 |
| 6 | 57 | 188.1 | 9 | 29.7 |
| 7 | 58 | 191.4 | 8 | 26.4 |
| 8 | 57 | 188.1 | 11 | 363 |
| 9 | 55 | 181.5 | 11 | 36.3 |
| 10 | 53 | 174.9 | 10 | 33,0 |
| Т | 18 | 15.0 | 3 | 66.3 |
| x 6.3 | 18 | 15.0 | | 36.6 |
| Sertoli Cells: | gen | | enskupen skare kommenski er underskipelde die ellerkinn v. ensk v. e | |
| Remarks: | | | | |
| | | | | |
| | | | | |
| | | hridge-grandere-spirerish-bi grandikparatik | ant in principal and an antique and | |
| E 26.44 | | | | 6 |

in the control of the control to the second of the second of the second of the second de to and the same such 31 / T. Walt *`_ . 5 1011.

| A" pagery | | | 1 | |
|-------------------|--|--|--|--|
| No 14-54. | | Date | Wb/ | 61 |
| Spermatogenic Con | | nati n | 6 | |
| Interstitial Cell | Semini tubul | | 1 | iferous n. height |
| 13 63 | .48 | 128.7 | 10 - | . 33.0 |
| 23 6.3 | 54 | 178.2 | 11 | 36.3 |
| 3 | 52 | 171,6 | 10 | 33.0 |
| 4 | 53 | 124.9 | 14 | 46.2 |
| 5 | 45 | 148.5 | 14 | 46.2 |
| 6 | 41 | • | 12 | 39.6 |
| 7 | 57 | 168.3 | 14 | 46.2 |
| 8 | 38 | 125,4 | 12 | 39.6 |
| 9 | 45 | 148.5 | 9 | 291) |
| 10 | 5 3 | | 12 | 39.6 |
| T | 1- | 584.0 | | 389.4 |
| x 6.3 | † | 58.4 | | 38,9 |
| Sertoli Cells: | seen | and the second s | and the second s | 4 |
| Remarks: | | | | y angus, alamananan a ro-a. Santanga-a dampa- maga-ara |
| | tin anatonia di katalan di katalan katalan katalan di katalan katalan di katalan di katalan di katalan di kata | name glavnog vilage må mårngkald krivan vilag della och spiritering kritisk | allemanus e responsables qualità dell'assistation dell'as | |
| | | | | |
| | -riffess - riferge names ms sp.n. sp.n. sp.n. fr. Firmy - d.de | general afficient for for the state of the s | | - Salahang Allah salah paga saga saga daga daga Salah daga Salah daga saga saga saga saga sa |
| E=39.64 | | t or taken the control of the contro | | |
| | | | | |
| | | | | |

| Spermatogen | ic Condi | tion | | | - Angele de la company de la c |
|-------------------------|----------|--------|---|--|--|
| Interstiti nuclear d | | Semini | ferous e diam. | | iferous n. height |
| 1 3 | 6-3 | 54 - | 178.2 | 12 - | 39.6 |
| 2 3 | 6.3 | 45 | 148.5 | 11 | 36-3 |
| | | 43 | 141.9 | 12 | 39.6 |
| 3 | | 42 | 138.6 | 13 | 429 |
| 4 | | | 214.5 | | 49.5 |
| 5 | | 5 نها | | 15. | |
| 6 | | 49 | 161.7 | 17 | 5611 |
| 7 | | 49 | 16/17 | 10 | 33.0 |
| 8 | | 35 | 115,5 | 11 | 363 |
| 9 | | 5-2 | 171.6 | // | 36.3 |
| 10 | | 5-5- | 181.5 | 13 | 42.9 |
| T | | 16 | 13.7 | < | 412,5 |
| x 6 | 3 | 16 | 1.4 | | 41.2 |
| Sertoli Ce | ells:× | | | | |
| | | | | | |
| Remarks: | | | nggang pangganggangganggan magamadasan daan in it attacks | alanamanan ang alan ang anan ang ang ang ang ang ang ang | -a-resolved militaris and a second a second and a second |
| | | | · · · · · · · · · · · · · · · · · · · | | endri di distraglica confidencia espera de distribucioni di distribucioni di distribucioni di distribucioni di |
| | | | | | |
| | | | | | |

(2)

E=33,0 H



to the first the second of the ---ar John John Co

7.7 er land Allega and the second second Of


| /a = 1, | · dra | |
|--|-------------------------------|-----------------------|
| three who tops as who we set a such that a test support as a | | Frers to mile Condi- |
| Reminiferous : | essentingene essent eledet | I comment to the Call |
| 1 | Tage we get | 1 |

| I no entrinci Cell | anomalinima tubule duan. | Reminisserous Repinisserous |
|--------------------|--|--------------------------------|
| · - | cape wege . | *** |
| 5: | | |
| Ę | | |
| A | | |
| 5 | } | |
| 3 | | 1 |
| | | |
| 8 | | |
| 5 | | • |
| 10 | 4 | |
| | | |
| X. | The second secon | \$ 4 |

| No. /4-6 Con Spermatogenic Con Interstitial Cell | | Date | y dele | 2 |
|--|--|---|--|---|
| Spermatogenic Con | dition | ariti.n_ | 6 , | |
| Interstitial Cell | Semin tubu | iferous le diam. | Semin epit | iferous h. height |
| nuclear diam. | 47 | - 155.1 | 10 | 33.0 |
| 2 | 34 | 178.2 | 10 | 33.0 |
| 3 | | | | |
| 4 | A de la constitución de la const | | | |
| 5 | · P · · · · · · · · · · · · · · · · · · | | | |
| 6 | | | | |
| 7 | Mademan (vy | | | |
| 8 | | | | |
| 9 | river de verden | | | |
| 10 | | | | |
| T | | 3,3 | | manus de monocolos - mais agranda a se a se |
| x | 16 | 6.6 | | 33.0 |
| Sertoli Cells: | | edien stiddistrique attente as vedente son estado e e cinco e | | |
| Remarks: | tissi | ul | | s wagaran daabiinaan ka |
| 1 | na ar an aire a | | androphysics and a state of the | |
| | | | | |
| | | | da da a con como con como como como con como con como como | |
| · | | | | |

À ; L e estrup.

| No. 14-64 | | Date | V/62 | |
|---------------------------------|--|--|---|---|
| Spermatogenic Con | dition | | '7 | |
| Interstitial Cell nuclear diam. | | e diam. | | iferous n. height |
| 1 | 65 | 2145 | 10. | 33.0 |
| 2 | 55 | 181.5 | 20 | 66.0 |
| 3 | 67 | 221. | 10 | 33.0 |
| 4 | 67 | 221.1 | 6 | 19.8 |
| 5 | 61 | 201.3 | 18 | 59.4 |
| 6 | 60 | 198.0 | 10 | 33.0 |
| 7 | 41 | 135.3 | 10 | 33.0 |
| 8 | 45 | 148.5 | 16 | 52.8 |
| 9 | 46 | 151.8 | 14 | 46.2 |
| 10 | 55 | 181.5 | 16 | 52.8 |
| T | 18 | 54.6 | 4 | 129.0 |
| x | 18 | 5.5 | | 42.9 |
| Sertoli Cells: | | July se | paral | zd |
| | | | | |
| | t die seie das des seus de seus des se | | | |
| | | and the state of t | eller de der er a werde Administration (1986) and | tigen og gjiller yndig eithio kallyddialai fall dei lliddialai yn arr |
| | and the second s | | | |



| No. 14-65 | | Date | 1/62 | |
|--|--|--|--|--|
| SpermatogenTC Con | dition | | 6 | |
| Interstitial Cell | Semini | ferous | | iferous n. height |
| 13 63 | 60 - | 198.0 | 17 - | 5201 |
| 23 63 | 52 | 171,6 | 11 | 36.3 |
| 3 3 6.3 | 70 | 231.0 | 17 | 57.1 |
| 4 | 61 | 201.3 | 10 | 33.0 |
| 5 | 69 | 227.7 | 13 | 42.9 |
| 6 | 65 | 214.5 | 15 | 49.5 |
| 7 | 42 | 204.6 | 11 | 363 |
| 8 | 70 | 231.0 | 19 | 6217 |
| 9 | 60 | 178.0 | 15 | 49.5 |
| 10 | 57 | 188. l | 12 | 39.6 |
| T | 20 | 65.8 | 4 | 162.0 |
| x 6.3 | 20 | 6.6 | | 46.2 |
| Sertoli Cells: _Q | llw | | | Ap . S. o. |
| Remarks: | | nganangan angkara sa | | |
| | | | kanggaran salaharan akhir geberah dalah salah sa | |
| | | | | |
| general residence of a regulation sign from the first a finite state of the first and the second second second | | | and the second and analysis analysis and analysis and analysis analysis and analysis analysis and analysis analysis and an | elegenne siller mellen sistem miller hand distributioner man, a sellenen nen |
| E= 39.64 | | | | (3) |
| | The same same same same same same same sam | , | | |

•.


| Interstitial Cel nuclear diam. | tubul | e diam. | Ì | iferous h. heigh |
|--------------------------------|---|---|--|---|
| 13 63 | 55 - | 181.5 | 11 - | 36. |
| 23 6.3 | 63 | 207.9 | 12 | 39. |
| 3 | 62 | 204.6 | 18 | 59. |
| 4 | 43 | 207.9 | 10 | 33 |
| 5 | 46 | 151.8 | 11 | 36= |
| 6 | 57 | 188.1 | 11 | 36 |
| 7 | 54 | 178.2 | 11 | 36 |
| 8 | 65 | 214.5 | 17 | 56. |
| 9 | 67 | 221.1 | 10 | 33. |
| 10 | 49 | 1610 | 11 | 36. |
| T | 1 | 917.3 | | 402.0 |
| x 6.3 | 1 | 91.7 | | 40.3 |
| Sertoli Cells:_ | Doen | | | |
| Remarks: | | | | |
| | | | | |
| | and were stand optional distinctions again and a subset | makan dan ing masa sa ing dajamban ang matapakan da | madigare e rimanenten dana aziren aziren eta | and a second of the second of |




| No. 19-68 | Date | 1662 |
|-------------------|---|----------------------------|
| Spermatogenie Con | | |
| Interstitial Cell | | Seminiferous epith. height |
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| 6 | | |
| 7 | | |
| 8 | | |
| 9 | | |
| 10 | | |
| T | | |
| x | | |
| Sertoli Cells: | | |
| Remarks: no tes | tis | |
| | | |
| | | |
| | nar attaurrakabi militarin matu matu attaura Sindir kabilan attautusin sesahida salami sere suga musika. Suurak | |
| | | |


| | • | |
|--|---|---------------------------------------|
| | | |
| | | ·. |
| | | |
| | | · · · · · · · · · · · · · · · · · · · |
| | | · |
| | | |
| | | |
| | | |
| | | |

| Spermatogenic Condi | tion_ | 9 | | |
|---------------------------------|--|--|--|--|
| Interstitial Cell nuclear diam. | Seminiferous tubule diam. | | Seminiferous epith. heigh | |
| 1 3 6.3 | 28 | 92.4 | | |
| 23 6.3 | 26 | 85.8 | | |
| 33 6.3 | 33 | 108.9 | | |
| 4 | 25 | 82.5 | | |
| 5 | 30 | 99.0 | | |
| 6 | 30 | 99.0 | | |
| 7 | 33 | 108.9 | | |
| 8 | 26 | 85.8 | | |
| 9 | 33 | 108.9 | | |
| 10 | 26 | 85.8 | | |
| T | 957.0 | | | managamba estructibumpa perm |
| x 6.3 | 95.7 | | | |
| Sertoli Cells: | elw. | h-delgrafilitiga filos salas sarraga daran-trib picturas number | a vilkoninklikuud kanadala kanadala kanadala kanada kanada kanada kanada kanada kanada kanada kanada kanada ka | diamenta a dinama a dina ma ana a |
| Remarks: | | overstade violentier liebbevelen liebbevelen de voor en en en verste versche van de versche ve | | |
| | na eMiranda di sanda di sanda sa | | nterer Nove a trans national linguise particles destinates an excellence destinations | - oliga-a Angali yili wasayini gandayan Miyo- |
| | | | innier om Sidappins minerinke sp ecipe op de specipe i Fra | and a second |
| | | | | |
| | | | and the second s | en e estado en estad |









tignis tomas

1

Chemidophorus tigris

San Transfer 100 *** 2 .7.1. . . Mate Tr Z

Specimentogy & or Torick Control Programme and the section of the section of I · more than the same 1 mins . 1 *103 e, asih , ac dini • 1 3 OI


| nuclear diam. tubule diam. epith. height 2 3 4 5 6 7 8 9 | Interstitial Co | ell Seminiferous | Seminiferous |
|---|-----------------|---|--|
| 1 2 3 4 5 6 7 8 9 10 | | • | epith. heigh |
| 3 4 5 6 7 8 9 10 | | | |
| 4 5 6 7 8 9 | 2 | | |
| 5 6 7 8 9 | 3 | | |
| 6 7 8 9 | 4 | | |
| 7 8 9 | 5 | | |
| 8 9 10 | 6 | | |
| 9 | 7 | | |
| LO | 8 | | |
| | 9 | | |
| T | 10 | | |
| · · · · · · · · · · · · · · · · · · · | T | | |
| $\bar{\mathbf{x}}$ | x | | |
| , , | Remarks: Mc | testis | ngidar-uun-vapulas o- rustu etti etti etti etti etti etti etti oli etti etti etti etti etti etti etti et |
| Remarks: Me testis | | minimum in die se verein der der der der der der der der de | andikalagar e varan sake e gisan iskrivas ajakkurus (varan est e masalina makalini iskriva ajakku |





| No. 20-10 | | Date | Vd/ | 59 |
|------------------------------------|-----------------|---|--|----------------------|
| Spermatogenie Con | dition, | riti.n_ | _7 | |
| Interstitial Cell nuclear diam. | Semini tubul | | | iferous h. height |
| 1 | .50 | 1815 | , , | 39.6 |
| 2 | 33 | 191.4 | 12 | 46.2 |
| 3 | 52 | 171.6 | 12 | 39.6 |
| 4 | | | | 69.3 |
| 5 | 64 | 211.2 | 21 | |
| 6 | 60 | 198.0 | * | 29.7 |
| 7 | 58 | 191.4 | 20 | 66.0 |
| 8 | 55 | 181.5 | 17 | 56. |
| 9 | 45 | 148.5 | 12 | 39.6 |
| 10 | 47 | 155.1 | 9 | 29.7 |
| T | 17 | 95.2 | 1 | 448.8 |
| X | 1 | 79.5 | | 44.9 |
| Sertoli Cells: | | | | |
| Remarks: Man- | fain | 1 | | |
| | | der ann eine Belgen sie der Allegen der der Andrea der Andrea der Andrea der Andrea der Andrea der Andrea der A | endjere e remembelike i delik direktorishen. | |
| ? layer | ~ 42 | 94 | thik | |

| 140 | Talk and | | |
|-----------------------|---------------------------|-----------------------|----------|
| | | il grange | |
| 20 m ni Verito : • | | inim 2 alec Lectus | |
| 11.52 | - Witzust | | I |
| | 28 1111 | | r. |
| 1 | XXXX 00.7 | | |
| | all alti | 50 | |
| 1/2 | 13200 | 140 | <u>*</u> |
| 7788 | | 100 | C |
| Six | A 105/3 | ; ; | 6 |
| 099 | 48 1111 | 1.4 | |
| 1-52 | A.) X (10) | | 8 |
| | -17 (14) | -670 | 9 |
| 5 15 | P. LIEF | PH | Of |
| 1.2.4 | + | - 1 | rî |
| 195 | 7 25 | 1 | ·•• ? |
| | | | |
| | 14 | | |
| | | | |
| | | | |
| | | | |
| - | The state of the state of | | |
| | | | |



| No. | 20-15 | | Date | 1X/59 | galance-species Science Scienc |
|-------|---------------|---------|--------|-----------------|--|
| Sperm | natogenie Con | dition/ | | 7 | |
| | estitial Cell | | | Seminife epith. | |
| 1 | (| 35 | 115.5 | | |
| 2 | | 3/ | 102 3 | | |
| 3 | | 29 | 95.7 | | |
| 4 | | 43 | 141.9 | | |
| 5 | | 35 | 115.5 | | |
| 6 | | 29 | 95.7 | | |
| 7 | | 39 | 128.7 | | |
| 8 | | 36 | 118.8 | | |
| 9 | | 1 | 125.4 | | |
| 10 | | 35 | 115.5 | | |
| T | | 11 | 55.0 | | |
| x | | | 15.5 | | |
| | oli Cells: | • | | | |
| Remai | cks: open o | arla | centra | lly-l | ubulos |
| | il appea | | | | |
| ?(| ages -44 | ,2 M | Thick, | cells ap | your to |
| | ananged | | | | A B 2 |
| cel | Qs ' | | | | hadiga gila-qiriyaada qariilgirayaan shanaba - ssa |

| Spermatogenic | | 7 | . 5 | |
|----------------------------|--|---------|--------|----------------------|
| Interstitial nuclear, diam | | iferous | | iferous n. height |
| 1 7 | of the same of the same of the | - 254.1 | 16 | - 52. |
| 2 | 62 | 204.6 | 20 | 66. |
| | 60 | 188.0 | 17 | 56. |
| 3 | 50 | 165,0 | | 29.7 |
| 4 | | | 9 | , |
| 5 | 61 | 201.3 | 13 | 42.9 |
| 6 | 5 4 | 178.2 | 19 | 62.7 |
| 7 | 57 | 188.1 | 9 | 29.7 |
| 8 | 5 5 | - 181.5 | 16 | 52.8 |
| 9 | 46 | 151.8 | 12 | 39.6 |
| 10 | 54 | 178,2 | 16 | 52. |
| T | / | 900.8 | ^(| 185.1 |
| x | 1 | 90.1 | | 48,5 |
| Sertoli Cells | | | | |
| Remarks: | | | tal a | 0 |
| Remarks: | 1 de la companya della companya della companya de la companya della companya dell | acuosa | + 0 | · · · |
| nucleoli | | | | |
| small | mule | , lage | s sies | ns to |
| monde le | Twee | lubules | Den se | me |

P



| No. 20-21 | | Date | 146 | 0 |
|-------------------|--|--------------------|--|----------|
| Spermatogenia Con | dition | | 5 | |
| Interstitial Cell | Seminitubul | ferous Le diam. | - | . height |
| 1 ? | 58 | - 191.4 | | |
| 2 | 57 | 188.1 | 12 | 39.6 |
| 3 | 57 | 178.2 | 12 | 39.6 |
| 4 | 57 | 188.1 | 12 | 39.4 |
| 5 | 60 | 198.0 | 12 | 39.6 |
| 6 | 70 | 231.0 | 16 | 52.8 |
| 7 | 65 | 214.5 | 16 | 52.8 |
| 8 | 63 | 207.9 | | 36.3 |
| 9 | 54 | 204.6 | 12 | 39.6 |
| 10 | 62 | 204.6 | 13 | 42.9 |
| T | 1 | 986.6 | 41 | 32.3 |
| - | 1 | 98,7 | | 43.2 |
| Sertoli Cells: | seen | _ | | |
| Remarks: 7 | yera | 148,50 | <u></u> | |
| | and age of the second s | | kanggan ya shinkayakikinin diginin nifikunga kanganganikini musih biri | |
| | eritari di Salatan di Managaria ana Apanda ana ao ao ao | | | |
| | | | ally an inches on an an artist of the property contains which | |
| | | | | |

4 1 **,

| To. 20-27 | dagin makkan karan dingga dangan Amusi dingga dangan ang salah salah salah salah salah salah salah salah salah | Date_ | V/60 | and the manufacture and other districts to proper to the stands of | |
|---|--|-------------------|----------------|--|--|
| Spermatogenic Condi | tion | 6 | | | |
| Interstitial Cell nuclear diam. | tubul | ferous e diam. | Seminif epith. | erous height | |
| 1 7 | 10 | 2310 | 14 | 46.2 | |
| 2 | | | 14 | | |
| 3 | 65 | 214.5 | 17 | 57e.1 | |
| 4 | 67 | 221.1 | 13 | • | |
| 5 | 55 | 181.5 | 15 | 49.5 | |
| 6 | 68 | 224.4 | 20 | 66.0 | |
| 7 | 72 | 237.6 | 18 | 59.4 | |
| 8 | 5-7 | 188.1 | 10 | 33.0 | |
| 9 | 67 | 221.1 | 12 | 39.6 | |
| 10 | 78 | 257.4 | (3 | 42.9 | |
| T | 2 | 194.5 | 417 | 8,5 | |
| x | 2 | 19.4 | 47 | 7.8 | |
| Sertoli Cells: | | | | | |
| Remarks: lenge clumps of what look like 2° speratout, nuclei w/in! | | | | | |
| | F 41 | | - 12/m | | |
| cell in mos | it tu | bules | | | |
| ?layer - 33 | Ou th | uk | | ramana terughah mela hagin di melah | |
| | | | | | |


| | • • • | •. 1 | | | |
|-------------------|---------------------------------------|-----------------------|-------|-----|----------------------|
| er company - r eg | e e e e e e e e e e e e e e e e e e e | • · · | i į | | |
| | | 2000, 1000, 1000 • | | | iren-fui |
| | \$ \$ | | | | 92 |
| | No. | | - W. | | |
| 100 | 60 | | 3 | | |
| 7.11 | 19 | | | | Ÿ |
| | | | - 6 | | · |
| | | | 14 | | |
| | : | 1154 | 46 | | j |
| | | | 13 | | |
| | : | 1197 | 50 | | |
| | 30.0 | 570 | 300 | | V. |
| | | March 1 | | | |
| | | | | | Ging W la. |
| | ên . | | | | 11.93 |
| A-53. | hyle. | - | يرعك | = : | |
| | | | | -pi | |
| | | | محادث | | |

Spermatogenic Condition

| Interstitial Cell nuclear diam. | Seminiferous tubule diam. | | Seminif epith. | erous height |
|---------------------------------|---------------------------|-------|----------------|-----------------|
| 1 7 | 65 | 214.5 | 16 - | 52.8 |
| 2 | 70 | 231.0 | 14 | 46.2 |
| 3 | 65 | 214.5 | 13 | 42.9 |
| 4 | 77 | 254.1 | 15 | 49.5 |
| 5 | 62 | 204.6 | 18 | 59.4 |
| 6 | 84 | 277.2 | 17 | 56.1 |
| | 70 | 231.0 | 22 | 72.6 |
| 7 | 66 | 217.8 | 19 | 62.7 |
| 8 | 60 | 198.0 | iG | 62.7 |
| 9 | | , | | |
| 10 | 45 | 214.5 | 14 | 46.2 |
| T | 22 | 57,2 | 5 | 51.1 |
| X | 22 | 15.7 | 5 | 5.1 |

| Remarks: tillules se | partingi |
|----------------------|----------|
| 7 layer 69.3 | in thick |
| | |
| | |

Sertoli Cells: seen



| X | 2 | 13,2 | 5 | 7.5 |
|---------------------------------|----|---------------------|------|----------------------|
| T | 21 | 31.8 | 5 | 24,7 |
| 10 | 70 | 231.0 | RO | 66.0 |
| 9 | 69 | 227.7 | 16 | 52.8 |
| 8 | | 2145 | | 42.9 |
| 7 | | 204.6 | | 39.6 |
| 6 | 72 | 237.6 | 16 | 52.8 |
| 5 | 51 | 168.3 | 19 | 62,7 |
| 4 | 69 | 227.7 | 22 | 72.6 |
| 3 | 67 | 221.1 | 1 " | 56.1 |
| 2 | 46 | 217.8 | | 46.2 |
| 1 7 | 55 | - 181.5 | 10 - | .33,0 |
| Interstitial Cell nuclear diam. | | fferous le diam. | 1 | iferous n. height |

| Sertoli | Cell | S: | een | | | |
|---------|------|------|------|------|---------|-------|
| Remarks | tin | buli | 3 DE | paa | ting | steri |
| Lein | 6: | ? la | yes | 29.7 | 4 three | k |
| | | | 0 | | , | |

. A (fiber à cinegos essas)

| mercritial Cel | Seniniferous tubule diam. | Serialiferous epith. Desight |
|----------------|------------------------------|------------------------------|
| e · | E-101 2 | 0.25 31 |
| | 4.512 | 5 4 - 1 |
| | 1-185 | 1.22 |
| | Totale To | j %(|
| | | |
| 3 | | |
| | | 3 1 |
| | 2. 1.1 | |
| è | | |
| 6 | | |
| 0 | | |
| T | | |
| X | | 6.832 |

C 31 / 3 3....

Sertoli Oclis: ____

E Derks:


TO THE STATE OF THE PROPERTY OF THE PARTY OF

- orleaned . ρ, 201 18 7.71 KLAS L 245 selles blobus

E= 19.8 U

ari la completa de la compa

| over diselect | ar ume'l 'LlimeB F | tepika karup epika |
|--|----------------------|--|
| | 9721-61 | 7.157 - W |
| | \$ 40E | |
| S | THE THE | 1. N. |
| 3 | 577 77 | CAN - |
| t apo | | |
| Z | | 3744 1 |
| 3 | | 155 av |
| 7 | | 3,37 |
| | | |
| | 1414 | C4 |
| | SATA SEC | |
| Towns and the second se | | |
| management of the section of the sec | | |
| Sertoll selles | ··.·· | and the distribution where the second |
| | The same of the | |
| | | |
| No. 1 To a second | | |





Opermate ands Corrition

| Corifoi ferour epich. heipet | . maith e Simlut | Interstatial Cell |
|--|------------------|---------------------------------------|
| | | ſ |
| | | |
| | | |
| | | |
| | | 4 |
| | | ? |
| | | 3 |
| | | 7 |
| | -12.67 | 8 |
| | j'r | ρ |
| | | 10 |
| The state of the s | | Ţ |
| | | · · · · · · · · · · · · · · · · · · · |
| a contain the set of t | | Sertoli Cells: |

E= 26.4 4

(2)

EVE 1187 ·-; 43 supposed to be a 7

| No. 20-43 | Date_ | V11/60 |
|---------------------------------|--------------|--|
| Spermatogenic Condi | tion 8 | 3 |
| Interstitial Cell nuclear diam. | tubule diam. | Seminiferous epith. height |
| 1 | 40 132.0 | |
| 3 | 34 112.2 | |
| 4 | 36 118.8 | |
| 5 | 37 122-1 | |
| 6 | * | |
| 7 | 45 148.5 | |
| 8 | | |
| 9 | 43 141.9 | |
| 10 | 43 141.9 | |
| T | 1382.7 | |
| X | 138.3 | |
| Sertoli Cells: | ller | |
| 1 lager | 33,0 M | observe mita-state or reflectioning, with discretion in surface to company or consideration of the state of t |
| | | |
| | | en benederatura e en e |

· 1.15 1000 1.1017 .6 Spermatogenic Condition _____

| z | 180.8 | | 4 | 15.2 |
|---------------------------------|---------------------------|-------|----------------------------|------|
| T | 1808.4 | | 4 | 1521 |
| 10 | 53 | 174.9 | 18 | 59.4 |
| 9 | 5 7 | 188.1 | 15 | 49,5 |
| 8 | 57 | 188.1 | 15 | 49.1 |
| 7 | 58 | 191.4 | 15 | 49.5 |
| 6 | 55 | 181.5 | 10 | 330 |
| 5 | 58 | 1914 | 14 | 46.2 |
| 4 | 52 | 171.6 | 9 | 29,7 |
| 3 | 58 | 191.4 | 13 | 42.9 |
| 2 | 53 | 174.9 | 18 | 59.4 |
| 1 | 47 - | 155.1 | 10 - | 330 |
| Interstitial Cell nuclear diam. | Seminiferous tubule diam. | | Seminiferous epith. height | |

| Sertoli | Cells: Jun |
|---------|------------|
|---------|------------|

| Remarks | |
|---------|--|
| 7 0 | |

? Cays = 13.24

18 - 25 Included in a committee land Constitutions a indian · Main The Total .metr tellion 1-1 0.215 Z Sucholi Cellus Lucia

| No. 20-47 | | Date | V/66 | <i></i> | |
|-------------------------|---|---|--|---|--|
| Spermatogenie Condition | | | | | |
| Interstitial Cell | | | Seminiferous | | |
| nuclear diam. | - 4min | | | . height | |
| 1 | 42. | -138,6 | // | 36.3 | |
| 2 | 46 | 1518 | 9 | 29.7 | |
| | 57 | 188.1 | 10 | .33.0 | |
| 3 | ela | 161.7 | 1 - | 49.5 | |
| 4 | 49 | | | | |
| 5 | 43 | 141.9 | 8 | 26.4 | |
| 6 | 41 | 135,3 | 11 | 36.3 | |
| O | 45 | 1485 | an establica | 49.5 | |
| 7 | 19 | 161.7 | | 36.3 | |
| 8 | 71 | • | 11 | | |
| 9 | 45 | 148.5 | 16 | 33.6 | |
| 10 | 57 | 1881 | 11 | 36,3 | |
| 10 | | alamanda — Alamaiy ay | | maginima a represidente comunitorio de confidente conquer e | |
| T | 15 | 64.2 | 3 | 46.3 | |
| x | 13 | 6.4 | 3 | 36.6 | |
| Sertoli Cells: | seen | | | | |
| Remarks: | | | | | |
| | | | | | |
| · layers 29.74 | | | | | |
| | | | | annan aman'ny dipantanja dipantanja dipantanja dipantanja dipantanja dipantanja dipantanja dipantanja dipantan | |
| | Maryan deliberate destruite de comunicación de la Maryan de Maryan de Maryan de Maryan de Maryan de Maryan de M | min disabilisan didakan didak - Amandiya sagara ayganada | alle y halo dan ou d gers yn dagl l de llektrik de gelen gelen gelen de | aurskillijkerstige liiterstijkelens jargeskerausse - voja uig vap | |
| | | | | | |

dy

. # 0000 * 1 * * * * *

/ s • 63 3 1

| No. 20,-49 | | Date | wholel | en e | |
|------------------------------------|--|---|--------|---|--|
| Spermatogenic Con | dition | riti.n_ | 7 | | |
| Interstitial Cell nuclear diam. | tubu | Le diam. | epith | ferous height | |
| 1 | 62- | 204.4 | 12 - | 39.6 | |
| 2 | 50 | | | 56.1 | |
| 3 | 44 | 145.2 | | 49.5 | |
| 4 | 47 | 155. | 15 | 49,5 | |
| 5 | 44 | 145,2 | 11 | .36.3 | |
| 6 | 49 | 161.7 | 14 | 46.2 | |
| 7 | 51 | 168.3 | 11 | 34.3 | |
| 8 | 48 | 158.4 | 15 | 49.5 | |
| 9 | 50 | 165.0 | 16 | 52.8 | |
| 10 | 5 5 | 181.5 | 13 | 42-9 | |
| T | 14 | .66.5 | 4 | 5-8,7 | |
| X | 14 | 66.6 | 4 | 45.9 | |
| Sertoli Cells: | Allen | | | | |
| Remarks: tubules se peraled | | | | | |
| no debris o sperm intumen | | | | | |
| · lager - 16. | SH | | | | |
| 15 | | allerine agentic une statute de excellere community en upo e sergennese | | nad villen vinnen villen millen divinn grad grad tridgen var – a vall viden var | |
| | and the statement of th | | | | |





| | for the second of | · · · · · · · · · · · · · · · · · · · |
|--|--|--|
| enthode ing kalmophindaC die e rushe en bagindap eine des | and the second | Sprimar spatial Coni |
| Southiferous epith. height | tubule "iam. | Interstition Cell |
| | 21-2-1 - 1/2 | · I |
| | 11 500 30 | · · · · · · · · · · · · · · · · · · · |
| | V.P9 TL | 7 |
| | | |
| | 76.71 | A |
| | | ? |
| | | 9 |
| | | 7 |
| | | 8 |
| | | 6 |
| | | 10 |
| n de deponde philadria in sun | | T |
| | | z |
| | The second secon | Sericli Cells: |
| and the second of the second o | | Remarks: |
| and the seconds are a second to the second t | · · · · · · · · · · · · · · · · · · · | ** ** ** ** ** ** ** ** ** ** ** ** ** |
| THE MANAGEMENT OF THE PROPERTY | | |
| · Pall or or in make basis was | A No. 16 1 18 Brillion - No. March March March March - | in est a vir numphingan frankrissinn hydraniya keer t hundir saga dan qaaga k har asagganis aa |


| | | e . 1: | |
|---|----------|--------|-----------|
| and the second | 100 | | |
| | 7.0 | 0.000 | |
| | 200 | 90,000 | |
| | 0.00 | 0.201 | |
| | | 0.55 | |
| *** | 15 | 4.10 | |
| (? | 200 | 0.77 | |
| 7. | 25 | | λ. |
| 1" | AE. | 2.7/ | : |
| | KL | LEDI | |
| 8 | 7.4 | 1785 | |
| | -22 | 275 | : |
| | | 1-1-1 | |
| X. | | | |
| Servili Colla | - Sales | | |
| H. S. | interior | | men be de |
| | | | |
| | | | |
| | | | ** *** |



| No. 20-5-4 | | Date | _VE | 61 | | | | | |
|---------------------------------|------------------|--|-------|---|--|--|--|--|--|
| Spermatogenic Condition Citin 6 | | | | | | | | | |
| | tubu | Le diam. | | iferous h. height | | | | | |
| 1 | , | - 174.9 | 11 | - 36.3 | | | | | |
| 2 | 64 | 211.2 | 17 | 56.1 | | | | | |
| 3 | 50 | 165.0 | 8 | 26.4 36.3 | | | | | |
| 4 | 74 | 244.2 | 19 | 627 | | | | | |
| 5 | 63 | 207.9 | | 363 | | | | | |
| 6 | | 198,0 | , , , | | | | | | |
| 7 | 60 | | 14 | 46.2 | | | | | |
| 8 | 54 | 178,2 | 16 | 5-2,8 | | | | | |
| 9 | 57 | 188.1 | | 33.0 | | | | | |
| 10 | 60 | 198,0 | 10 | 33.0 | | | | | |
| T | 1966.8 | | | 422.4 | | | | | |
| x | 196.7 | | | 42.2 | | | | | |
| Sertoli Cells: | | | | | | | | | |
| Remarks: | 9.8 _µ | | | | | | | | |
| | | tigilitas dindramalnajangin garar san agyas ala - sagalaga | | andjana delika malik alka ugjali kila iki danik kabania nen eringada an | | | | | |



| No. 20-54 | | Date | V/6 | | | | | |
|---------------------------------|--------------|---------------------|-----|-----------------------|--|--|--|--|
| Spermatogenic Condition | | | | | | | | |
| Interstitial Cell nuclear diam. | | iferous le diam. | | iferous height 66.6 | | | | |
| 1 2 | 4.2 | 204.6 | 13 | 42.9 | | | | |
| 3 | 49 | 161.7 | 10 | 33.0 | | | | |
| 4 | 59 | 161.7 | 12 | 39.6 | | | | |
| 5 6 | 5-1 | 168.3 | 16 | 52.8 | | | | |
| 7 | 56 | 184.8 | 10 | 33.0 29.7 | | | | |
| 8 | 5-4 | 128.2 | 14 | 46.7 | | | | |
| 9 10 | 58 | 191.4 | 19 | 62.7 | | | | |
| T | 1841.4 | | | 42.2 | | | | |
| X | 184.1 | | 4 | 4.2 | | | | |
| Sertoli Cells: | | | | | | | | |
| Remarks: 1000 0 | tani 6,2, | | | | | | | |
| | | | | | | | | |





moitibard characteristica Serial interiors Interesticial Call Seminiformens soith. beight t wile dist. . mid racioum 1 5 : - 1 1 > (C) - 11 (. O Ven , , 3 11 ... 0 OI · / 6 .. 3 11 5 in Spirit Sertoli Cells: _____ic Remarks:

a itiam? siregetamens

| land elegatume | . /Å 1. î . | - 0 | T | |
|---------------------------------|---|--|--------|---------------------------|
| Interstifica Cell nuclear diam. | Samini tubul | ekt i | | tigied . |
| - | | | 63 |) |
| S | - a congr | 41.154 | - | |
| * | - | 1673 | () | 4 7.4 |
| 4 | 2.0 | * / ⁶ / | 2.0 | |
| 2 | ا الما الما الما الما الما الما الما ال | 6156 | 25 | |
| 3 | | | | = 1 |
| 7 | | 246. | | |
| | | 30153 | | E48 |
| P | 25 | | | 1 64 |
| 10 | | | | |
| | 1 | | | 9. |
| X | Training to the designation of | | 9 9 | 1 12 |
| Sertoli Cells: | 9- - j | en e | | THE SECTION AND ASSESSED. |

| | | the state of the state of states |
|--|----------|---|
| Industrial Coll n less dies. | | airus daine. Airte en de de la companya de la com Airte de la companya |
| 1 | 0.77 | Y 71 2 0 |
| S | | LEE AV |
| | | 144 6 |
| ** | | T |
| | - 1W 5. | 8 m |
| 9 | Lacel Ch | 10 Y 10 Y |
| 7 | XX22 22 | -0% (1) |
| 81 | 4 | To F |
| ę | | |
| 10 | | |
| J. | | \ |
| <u>*</u> | | |
| Serioli feluo: | | |
| The second of th | | |
| | | |
| ~ •· ·· · · · · · · · · · · • | | |

| No. 20-66 Spermatogenic Con | dition | | 6 vfo | |
|--|---|----------|--|---|
| المصاحبة الإستان الإستان المستوان المست | tubu | le diam. | | iferous n. height |
| 1 | .70 - | - 231.0 | 10 - | 33.0 |
| 2 | 60 | 198.0 | 16 | 52.8 |
| 3 | 65 | 214.5 | 11 | 36.3 |
| 4 | 50 | 145.0 | 10 | 33.0 |
| 5 | 60 | 198,0 | 13 | 429 |
| 6 | 52 | 171-6 | 14 | 46.2 |
| 7 | 6-3 | 207.9 | 12 | 39.6 |
| 8 | 73 | 240.9 | 15 | 49.5 |
| 9 | 72 | 237.6 | 18 | 59.4 |
| 10 | 76 | 250.8 | 15 | 49.5 |
| T | 2 | 115.3 | 4 | 14212 |
| x | 2 | 11.5 | | 44,2 |
| Sertoli Cells:/ | seen | / | | |
| Remarks: | 396 | L. | | |
| | | | | ganico - servino ang dirense se st -tarak ni |
| | e Major magazan magazan ke separan magazan di Major | | kantonian sama sama sa sa satikkan kalagabakan kantagabakan ka | |
| E= 33.0 u | | | | 3 |



, j.

| 2.5 | | 11/2 |
|-------------------|--|---|
| No. 20-72 | Date | Uf62 |
| Spermatogenie Con | ditto on sittin_ | 6 |
| Interstitial Cell | tubule diam. | Seminiferous epith. height |
| 1 | 50 - 165.0 | 11-36.3 |
| 2 | 43 141.9 | 4 29.7 |
| 3 | 56 184.8 | 19 62.7 |
| 4 | 43 141.9 | 15- 49.5 |
| 5 | 73 | 23 () |
| 6 | 45 178.3 | 10 3.30 |
| 7 | 57 191.4 | id 46.2 |
| 8 | 20 | 17 |
| 9 | 5-1 168,3 48 158,4 | 10 33.0 |
| 10 | 48 158.4 | 13 42.9 |
| T | 1682.3 | 396.0 |
| z | 168.2 | 39.6 |
| Sertoli Cells: | seer | |
| Remarks: | | |
| | 29 ₁₁ | |
| | | nggin i sammigan sakka garamaganim nini nganjar samagan angah kangalah kangalah kangalah kangalah kangan ngan |
| | refer for material and all the control of the contr | |
| | | |
| E= 23.1, | | (3) |

| an erration La composition | i. | | u diperimentalia ng diperimentalia |
|-------------------------------|--------|--------------------|---------------------------------------|
| | 79- | | |
| | 1.00 | | 100 |
| | 0.07 | 79 % 350 | -14.1 |
| | | (b) (b) | 44 . 7 |
| *** | 157 | - 1 Take | |
| | | 50 WA | |
| E | | | 10. |
| ** | | Control HANGE A CO | |
| è | 773 | | |
| ę | · · | | - 3 |
| 93 | B R Y | | V 6 |
| | | , | : |
| | X | -474 | |
| en in Linde | | | |

| No. 20-73 Date Vacc | mi |
|---|----------------------------------|
| Spermatogenie Condition miting | pilos seliper |
| Interstitial Cell Seminiferous Seminiferous nuclear diam. tubule diam. epith. heigh | |
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| .0 | |
| T | allungs-raph residents along the |
| x | |
| Sertoli Cells: | Minipagagha de Sassa - |
| Remarks: pon slid | belalan water |
| | |
| | Brane yakebusa |
| E= 16.54 | |

.... + + 1 · · · er in the section of the 1 . . . 1907 . Žin

| Spermatogenic Con | dition | nditi.n | (b) | and the second s |
|--|--|--|--|--|
| Interstitial Cell nuclear diam. | Semini tubul | | | iferous n. height |
| ada ii ii gi aara ii da aara aa | .57. | 188.1 | 10 | 33.0 |
| 1 | 54 | 178.2 | 20 | 66.0 |
| 2 | 46 | 151.8 | | 33.0 |
| 3 | 76 | | 10 | 36,3 |
| 4 | .5 | 168.3 | /(| 33.0 |
| 5 | 50 | 165.0 | 10 | |
| 6 | 48 | 158.4 | 12 | 39.6 |
| | 48 | 158,4 | 11 | 36.3 |
| 7 | 44 | 145.2 | 13 | 42.9 |
| 8 | | | D | |
| 9 | 5/ | 188.1 | 19 | 4217 |
| 10 | 43 | 141.7 | 12 | 39.6 |
| T | 1 | 643.4 | - | 422.4 |
| x | 10 | 64.3 | The second secon | 42.2 |
| Sertoli Cells: | Leen | 7 | de la | |
| | | n anglinen and an annual and an annual and an annual and | | and the second s |
| Remarks: | e e partie e regione de programa que e Video (Alfrédique de la composição de Video (Alfrédique de Video (Alfrédiqu | - The second | erentakkingsvirknings verk i kinkler efterlære frei direkteren g | s at framsvelligenske direkte si a ro-d-allropolerne gjederis aflegighere. Bessillen-sen u |
| | a dimen depresiphinist de cale esta esta que depen | | englines - eterminapitate quilled effecteursellenter-re | |
| emboritarita da designe embori de diferencia da esta esta en esta de esta esta de esta esta esta esta esta est | d villele rande and little of the first description and the management of the sec | | tion and the second district the second distri | gapanan a sa an minandaga dapunganan kinda dapungan kangangan sa manangan sa manang |

Littleroft & Trayer to the and


national alegan and the continuation of

to fight it.

1

1.

| No. 20-79 | Date | V. 66 Z. |
|---------------------------------|----------------------|--|
| Spermatogenic Con | | *7 |
| and the second of the second of | tubule diam. | Seminiferous epith. height |
| 1 | 65 - 214.5 | 15 49.5 |
| 2 | 69 227.7 | 20 66.0 |
| 3 | 72 237.6 | 15 49.5 |
| 4 | 65 214.5 52 184.8 | 11 36.3 |
| 5 | 57 184.8 | 15 49.5 |
| 6 | | |
| 7 | | |
| 8 | | |
| 9 | | |
| 10 | | |
| T | 1079.1 | 2508 |
| X | 215.8 | 50.2 |
| Sertoli Cells: | els- | |
| Remarks: very | small pice | |
| | | andiga a a maka ang ta ang di di ang diang ang a ang ang ang ang ang ang ang an |
| | | |
| | | and the second s |
| E= 33.0 u | | (3) |



* C. . . 1.3 · Jan Ol Aug 15



.


| Spermatogenic Condi | tion_ | b | | And the Andrews of the World Control of the State of the |
|---------------------------------|-------|--------------------|--|---|
| Interstitial Cell nuclear diam. | | ferous le diam. | 1 | iferous h. height |
| 2 | 44 | 145.2 | | 42.9 |
| 3 | 53 | 174.9 | 10 | 36.3 33.0 |
| 4 | 37 | 165.0 | | 39.6 |
| 5 6 | 52 | 171.6 | · | 29.7 |
| 7 | 44 | 145.2 | | 363 |
| 8 | 35 | 115.5 | 10 | 33.0 |
| 9 | 47 | 138.6 | 14 | 46.2 |
| T | | 481,7 | ψ. | 376.2 |
| x | | 48.2 | | 37.6 |
| Sertoli Cells: | seev | | ati samusi nyaga sayang managan kanana ma | |
| Remarks: | | | *************************************** | ner operation and the state of |
| | | | р Ангар түү түй түүн байт тайгайнадагд Даруйн. Ангар т | |
| | | | | |
| | | | | |

.,,,, τ •• • ٠. 7.57



70 .


| No. 20:-87 | - | Date | Vd 6 | |
|-------------------|-----------------|--|--|--|
| Spermatogenic Con | ditaon | riti.n | 6 | |
| Interstitial Cell | Semini tubul | e diam. | Seminif epith. | erous height |
| 1 | FU | 178.2 | 17 - | 56. |
| 2 | 51 | 191.4 | 12 | 39.6 |
| 3 | 58 | 1980 | 12 | 39.6 |
| 4 | | | , 12 | |
| 5 | 55 | 201.3 | 15 | 49.5 |
| 6 | 61 | 4 | 10 | 330 |
| 7 | 52 | 184.8 | 16 | 52.8 |
| 8 | 71 | 234.3 | 10 | 330 |
| 9 | 5-4 | 178.2 | 10 | 33.0 |
| 10 | 61 | 201.3 | 19 | 62.7 |
| T | 19 | 30.5 | K/, | 38 9 |
| X | 1 | 93.0 | | 43.9 |
| Sertoli Cells: | 100~ | | | |
| Remarks: | | | | |
| Mayer 36 | 3 // | Andrew Control of the | and the second s | |
| | 74 | ana ani sa danisa na an igara na ana anigarana ani | uudgeen e makaassapaksia uudkak apanaasaddindassi respirantika | y maganing ang manggang magang maganan ang maganan ang maganan ang maganan ang maganan ang maganan ang maganan |
| | | | | annon karaka dan samuyih dan basak karaka da |
| | | | allen gar bronne transer et dellen selekterikalen gehinde delle selekterikalen gehinde delle selekterikalen g | |
| | | | | |



Cremma agenia Concition

| Other Edition on Social community An Edition Community An | Anne Good or Highway of Species | | · | flor Jeirsge rango |
|--|---------------------------------------|--|--|--|
| idgio.i | tirime2 Litine | e. r. | I La | Interest del Cell |
| er 4 | 58 | | 100 | 1 |
| 0.60 | · · | 136.0 | ; ; ; | |
| p. 9 | 9 | I V CEN | - | |
| 1. 1. at | 13 | \ | | |
| 536 | -00 | · · · · · · · | | 2 |
| 175 | | | | . 3 |
| | | | | r |
| (· | , , , , , , , , , , , , , , , , , , , | | | |
| 1 - 3 1 | 2 | | 10 (10) 10 10 10 10 10 10 10 10 10 10 10 10 10 | |
| | depresentation of the second second | 8,√== √ | | 10 |
| | • | | | The same and the s |
| | | \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ | | TO SECOND |
| ar and the state of the state o | · · · · · . | . No man a second | | Sertolf Cells: |
| - Vendona | | | 17 (88) | lengths: |





*

4


.

T.

; ·



| | | | 1 | | | |
|---|--|---|---|--------------------|--|--|
| No. 20-100 | | Date | 14/6 | 3 | | |
| Spermatogenic Con | dition | | 5 | | | |
| Interstitial Cell | tubul | ferous e diam. | | ferous . height | | |
| 1 | .81 | -26).3 | 22 | - 72.6 | | |
| 2 | 85 | 280,5 | 18 | 59.4 | | |
| 3 | 65 | 214.5 | 17 | 56. | | |
| 4 | 67 | 221.1 | 21 | 693 | | |
| 5 | 58 | 191.4 | 19 | 6217 | | |
| 6 | 66 | 217.8 | 23 | 75.9 | | |
| 7 | 60 | 198.0 | 12 | 39.6 | | |
| 8 | 67 | 221.1 | 7-1 | 69.3 | | |
| 9 | 69 | 227.7 | 20 | 66.0 | | |
| 10 | 64 | 211.2 | 16 | 52.8 | | |
| T | 2 | 250.6 | 4 | ,23.7 | | |
| x | 2. | 75.1 | (| e 2.4 | | |
| Sertoli Cells: | | | | | | |
| Remarks: | | | | | | |
| ? layer = 49.5 m | | | | | | |
| 0 | | | | | | |
| Market Market British day dalah Market British adap day ang | advaglaringa 1964 - Talan agangan ganda kalabahababa sapa ka | n madifi distance in su mana metrica inflya mangan menemungkan menemungkan menemungkan menemungkan menemungkan | | о и | | |
| | kalangan kalangan kalangan di salangan | том на применя в применя в применя в на примена в на применя в на при | adire ate a me i a i a minus antiqui redulphique gardigicas pagas | | | |



s · - ru∏u iir

n 18 60 mg 1 1 12 • :-20:45 . . .

元的复数。如果是1000年,由于1000年 army life enalog a come de dilla come de di presente isto et la compléant de l'action 1 - 1 XI Ċ . 2°.

| No. 20-108 | | Date | 1663 |
|--|--|--|---|
| Spermatogenie Con | di-tion | | ক্' |
| Interstitial Cell | Semin | てり | Seminiferous epith. height |
| 1 | 30 | 85.8 | |
| 2 | 26 | | |
| 3 | 31 | 102.3 | |
| 4 | 31 | 102.3 | |
| 5 | 30 | 99.0 | |
| 6 | 36 | 118.8 | |
| 7 | 3.3 | 1089 | |
| 8 | 30 | 99.0 | |
| 9 | 29 | 95.7 | |
| 10 | 36 | 118.8 | |
| T | 10 | 29.6 | |
| x | 10 | 03.0 | |
| Sertoli Cells: | peen | | |
| Remarks: | | | |
| | terriprist, glass apparations of principles and a serie. | | |
| | | | |
| de transfer and the state of the | rrilland-op-Palain-Andréan Novembro - monocono armo d'Origin | e digitalismin agamayan digitalismin digitalismin shirin shiri shake ta saya sa saya aya sa saya saya saya s | ridorus monos anas Ap arashingga kahalagan pala na dika palah kahanga kahanga kahanga kan a asarah sab |
| | | | • |



| No. 25 -111 | Date | V/063 |
|---|---|----------------------------|
| Spermatogenic Con | ditaon siti n_ | ' 9 |
| Interstitial Cell | Seminiferous tubule diam. | Seminiferous epith. height |
| 1 | 35 - 115.5 | |
| 2 | 26 85.8 | |
| 3 | 28 92.4 | |
| 4 | 33 108,9 | |
| 5 | | |
| 6 | 95.7 | |
| 7 | 29 | |
| 8 | 11 135.3 | |
| 9 | 71 | |
| 10 | 34 112,2 | |
| T | 1102.2 | |
| x | 110,2 | |
| Sertoli Cells:_6 | | |
| Remarks: | | |
| ? laner mos | thy I cell t | trick |
| 4 | , | |
| | | |
| Mander etti sitte etti etti onidaga engin eydelikki etti väänä didi kilokistilä ising gyanteete etti paakeete varya alan. | edigini pilikin mikumin mah mandan di Min kalimin mananin madangan dikir (vin mak n van k make). Ingga ma | |

| | _ 0.5 H lan | do lo lo | Spermatogeric Con |
|-------------------------------|-------------|----------|------------------------------------|
| Seminiferous epith. height | | | Interstitiel Cell nuclear diem. |
| | 115.5 | | |
| | 8.58 | 26 | |
| | 4.50 | 28 | 2 |
| | 1 | 37 | 3 |
| | 1,801 | 2.5 | 4 |
| | 8.811 | | 5 |
| | 95,7 | 36 | 9 |
| | | 29 | 7 |
| | 112.7 | 135 | , |
| | 1353 | The | 8 |
| | 112,7 | 65 | 6 |
| | - (31) | | . 0 |
| | 102.2 | N | T |
| | 5,01 | | x |
| | | *** | Sertoli Cells: |
| | | • | |
| | 11111 | 1 | Remarks |
| N. mari | I LAN | (- C | the really |
| | | | |

